



WESTHILL

Electric Bike User Manual



HAVE A QUESTION? NEED HELP?

Contact us on Facebook for a quick reply.



westhillbikes.com

CLASSIC / ENERGISE / VOGUE

WARRANTY

Westhill bikes are covered by a limited 3-year warranty. Aside from general cycle maintenance, any work to the motor should be carried out by a Westhill technician or authorised dealer.

1. Warranty periods

The statutory warranty valid at the time of delivery applies to:

Frame : 3 years

Motor: 2 years

Battery, Charger & Controller: 2 years

2. Warranty conditions

2.1 Requirements

There is a defect in materials or workmanship or an error of information.

The cause of the change in the product is neither natural nor related to its functions, wear and tear or ageing.

The damage was not caused by use of the bike for other than the intended purpose.

2.2 Warranty exclusions

Damage caused by improper use or force majeure.

All parts subject to function-related wear and tear, unless this is the result of a defect in the manufacturing process or material.

Damage which results from improper or insufficient care and repairs, alterations or the replacement of parts by persons other than trained professionals.

Accidental damage or other external effects, provided these are not the result of defective products or information.

Repairs resulting from the use of second-hand parts or damage caused by this use.

Damage resulting from competitive use.

Special fittings, accessories or non-standard components, especially technical modifications.

Observing the required service intervals is also a condition of any warranty claims you may make.

2.3 The following are considered wear parts under the statutory warranty:

Tyres

Rims in combination with rim brakes

Spokes

Brake pads

Chains and toothed belts

Chain wheels, sprockets, bottom brackets and jockey wheels

Sliding bearings

Lamps for lighting system

Handlebar tape/handle grips

Hydraulic oils and lubricants

Gear-shift cables and brake cables

Paint finishes

Batteries (depletion of capacity to 60% is acceptable within first two years)

(1) Definitions

In this warranty the following terms shall have the following meanings: Westhill Bikes shall mean FW3 Limited; Westhill Product shall mean the FW3 Ltd; Product Warranty Period shall mean a period commencing on the original date of purchase as new

(2) Circumstances outside our control

FW3 Ltd shall not be liable for any failure in service as a result of FW3 Ltd, or FW3 Ltd agents employees or contractors being delayed, prevented or hindered in the performance of its obligations by reason of any circumstances beyond its reasonable control. Such circumstances include, but are not limited to fire, flood, Act of God, and civil disorder.

(3) Disclaimers


FW3 Ltd shall not be liable for any indirect, incidental, special or consequential damages losses or expenses (including without limitation lost profits, loss of use or loss of data, goodwill, reputation or lost business) arising directly or indirectly, from the purchase use or sale of the Product, whether or not FW3 Ltd was advised or aware of the possibility of such damages, losses or expenses. It is the customer's responsibility to make lawful use of the products FW3 Ltd supplies.

TABLE OF CONTENTS

INCLUDED IN THE BOX.....	4
SPECIFICATIONS.....	5
ASSEMBLY.....	6
SAFE RIDING.....	12
CHARGING THE BATTERY.....	12
HOW TO USE THE BIKE CONTROLS.....	14
A. Gears.....	14
B. Turning the bike on and off.....	14
C. Pedal assist.....	15
D. Speedometer.....	15
E. WALK MODE.....	15
F. BATTERY INDICATOR.....	16
G. MOTOR POWER INDICATOR.....	16
H. ERROR CODES.....	16
I. SETTINGS.....	16
CARE AND MAINTENANCE.....	17
SAFETY WARNINGS.....	18
MODIFICATIONS.....	19
ADDITIONAL OPERATION CAUTIONS.....	19

THIS MANUAL SHOULD BE CONSIDERED A PERMANENT PART OF THE ELECTRIC BICYCLE AND SHOULD REMAIN IF IT IS RESOLD.

INCLUDED IN THE BOX



- | | | | |
|----|---------------------|-----|--|
| 1. | Front Fork | 10. | Rear Derailleur |
| 2. | Handlebar | 11. | Detachable Window
for Battery removal |
| 3. | Handlebar Stem | 12. | Pedals |
| 4. | Charging Port | 13. | Concealed Battery |
| 5. | Frame | 14. | Front Wheel |
| 6. | Seat Post | 15. | Front Brake |
| 7. | Saddle | 16. | Rear Wheel |
| 8. | Seat Clamping Lever | 17. | Rear Brake |
| 9. | Seat Tube | | |

SPECIFICATIONS

MODEL	ENERGISE	VOGUE	CLASSIC
Bike			
Dimensions	1800X640x995	1800X640x995	1830X630X1098
Wheel Diameter	683mm	683mm	697mm
Wheelbase	1105mm	1105mm	1100mm
Max Rider Weight	110kg	110kg	110kg
Max Speed	25km/h 15.5mph	25km/h 15.5mph	25km/h 15.5mph
Range Per Charge	40-100 Miles	40-100 Miles	40-100 Miles
Weight	18kg	18kg	22KG
Tyres	700*28C Inovva	700*28C Inovva	700*40C Kenda
GEARS	SHIMANO 9 SPEED	SHIMANO 9 SPEED	SHIMANO 7 SPEED
BRAKES	TEKTRO HYDRAULIC HD-E500	TEKTRO HYDRAULIC HD-E500	TEKTRO MD-M300
LED DISPLAY	KD-580	KD-580	KD-580
Battery			
Capacity	400WH	400WH	400WH
Type	LG Lithium-ion	LG Lithium-ion	LG Lithium-ion
Rated Voltage	36V	36V	36V
Motor			
Make	Bafang	Bafang	Bafang
Type	Brushless	Brushless	Brushless
Rated Power	250W	250W	250W
Rated RPM	205RPM	205RPM	205RPM
Rated Voltage	36V	36V	36V
Rated Output Torque	45 n.m	45 n.m	40 n.m
Controller			
Controller	Sine Wave	Sine Wave	Sine Wave
Under Voltage Value	31.5V - 0.5V	31.5V - 0.5V	31.5V - 0.5V
Over Current Value	15 +- 0.5A	15 +- 0.5A	15 +- 0.5A
Charger			
Current	2 Amps	2 Amps	2 Amps
Input	AC 110-240V, 47-63Hz	AC 110-240V, 47-63Hz	AC 110-240V, 47-63Hz
Type	Smart Charger	Smart Charger	Smart Charger
Charge Time	4-6h*	4-6h*	4-6h*

***Please charge your bike 12 hours during first 3 charges.**

ASSEMBLY

The Bike comes partially assembled. In order to fully assemble, you will need to attach the Handlebars, the Front Wheel, the Brake Caliper, the Pedals and insert the Seat Post. Please refer to the diagrams on pages 6-11 while assembling your bike. If you are having difficulty assembling the bike, please call our customer service team or take your bike to a local bike shop.

Please Note: Pictures may vary from the actual product but assembly will still be the same.

ASSEMBLING THE HANDLEBAR


- First, make sure the Handlebar Stem is facing forward, towards the Front Fork.



- Unscrew the 4 bolts in the Handlebar Stem using the provided Allen Key.



- Place the Handlebar into the Handlebar Stem and screw the 4 bolts in using the provided Allen Key.




Connect the wires by colour.

- Make sure all the wires are connected according to colour.

ASSEMBLING THE FRONT DISC BRAKE CALIPER

- Attach the Front Caliper to the Front Fork by screwing in the two bolts.
 - *This process will be the same for a Hydraulic Brake
 - *Be careful when attaching the Brake not to crossthread the bolts.



ATTACHING THE FRONT WHEEL

- Loosen the Pin through the middle of the wheel to allow you to place the Fork onto it. Make sure the Disc is properly inserted into the Brake Caliper.



- Tighten the Nut and hold the Lever in an upright position as shown in the photo below. Once tight push the lever in to secure the wheel.



TO CHECK

- Make sure the Quick Release Clamping Lever is secure.
- Make sure the Brake is hooked onto the Disc and working properly.
- Check your Tyre pressure - if they need pumping up, attach a Bike Pump to the Valve (shown in the photo below) and inflate to the recommended Tyre Pressure (this will be located on the Tyre).



ASSEMBLING PEDALS

- There are 2 Pedals. Please look inside of each Pedal to identify which is labeled R (right) and L (left).




- To connect the Pedals to the bike, place L into the Left tube and R into the Right tube (left and right directions are as though you are sitting on the bike). Tighten by turning the Pedals toward the Front Wheel. Use a wrench to make sure the Pedals are tight and secure.



- The right Pedal is attached on the same side as the chain. Make sure you check the Pedals are tight and secure before riding.

ATTACHING THE SEAT

- Slide the Saddle Post into the Seat Tube.
- Align the Seat with the Frame to make sure it is straight.
- The height of the Seat should not be pulled higher than the safety Line marks on the Seat Post.
- Tighten the Seat Clamping Lever.



SAFE RIDING

Before each ride, check whether all the bolts are tight, the battery has sufficient charge, the charging port is covered, the tire pressure is sufficient, all wires are plugged in and the brake system works correctly. Avoid direct contact with water.



CHARGING THE BATTERY

Your bike comes with a built-in rechargeable lithium-ion battery. Always use the provided charger only. Before your first ride you must fully charge the Bike. Charge for 12 hours for the first 3 times you use it. The Charging Port is located at the bottom of the battery frame, by the detachable window (next page for reference). For every ride after, charge your bike until it is fully charged and remove once completed. Do not leave any chargers plugged in overnight or leave it plugged in past the charge time.

1. Plug one end of the power cord into a grounded AC outlet and the other into the bike's charging port. The red charging light on the charger unit will turn on.
2. The red light will turn green once fully charged. Recharge the bike after each use.



(Please note: Always plug the charger into the wall first before the device. If the wall outlet doesn't have power and you plug the charger into the device first, it will light green, even if the battery is not full. So always plug into the wall first to make sure there is power.)

THE CHARGER OFFERS A CHARGING STATUS ON THE TOP OF THE CHARGER:

CHARGING LIGHT RED: Battery is charging.

CHARGING LIGHT GREEN: Charging is complete.

Charge the battery after every use. When you are done charging the battery, remember to cover the Charging Port.

In the unlikely event the battery emits strange odors, overheats, or begins leaking, step away from the Bike and contact Westhill Bikes for further assistance.


Only use the provided charger for the bike. Do not charge the battery if it has over-discharged. It should be discarded for your safety. Do not turn on the bike while it is charging.

HOW TO USE THE BIKE CONTROLS

Be cautious as you become accustomed to the bike. There are 9 levels of Pedal Assist. The Pedal Assist should be set at 0 when you're first getting on the bike.

GEARS

The bike is a 9 or 7-speed e-bike. You can change gears by using the Shifter on the handlebar. Only shift gears when pedaling. These gears do not require battery power and if the battery runs out or is turned off, the bike and gears can still be used as normal.



TURNING THE BIKE ON AND OFF

To turn the bike on, press the Power Button (M). To turn it off, hold the Power Button (M) for several seconds. If you do not turn off the bike, it will shut off automatically after 10 minutes.

If the LCD Display does not turn on, check that the battery is charged and the LCD Display is fully connected. If you are still having issues, please contact Westhill Customer Service on +44 (0)1823 672 970.

PEDAL ASSIST

The Pedal Assist mode was designed to make riding an e-bike mimic the natural motion you are used to feeling when riding a bicycle. As you pedal your bike, a sensor is activated, which in turn generates power from the motor. The power is activated only when you pedal – and the amount of power is determined by the pedal assist level that you choose.

The Pedal Assist mode provides power and propels the bike as you pedal. A low Pedal Assist level (1-3) will require effort from you to pedal, a medium Pedal Assist level (4-6) will require some effort from you to pedal, and a high Pedal Assist level (7-9) will require minimal effort from you.


To increase the Pedal Assist, press the Up Button. To decrease the Pedal Assist, press the Down Button. Always start off slowly and gradually increase your level. Make sure your speed is appropriate to riding conditions (weather, road surface, traffic/pedestrians, etc.). Level 0 will not use Pedal Assist.

SPEEDOMETER

Once the LCD Display is turned on, it will display the Speedometer. Press the Power Button (M) to cycle through different functions such as the Trip Distance, the Odometer, the Ride Time, the Average Speed, and the Maximum Speed. It will return to your current speed after a few moments of inactivity.

WALK MODE

The Walk Mode will power the bike at 6 km/h (4mph) to allow you to walk alongside the bike without needing to push it. Stand at the side of the bike with both hands on the handlebars and make sure the way in front of you is clear. Press and hold the Down Button to enable Walk Mode. A "P" will appear in the upper right-hand corner of the LCD Display. Release the Down Button to exit Walk Mode.



BATTERY INDICATOR

The battery charge level is indicated by the bars at the top of the LCD Display. When all the bars are lit up the battery is fully charged. When only one bar is left, the bike needs to be charged.


MOTOR POWER INDICATOR

The power of the motor is indicated in the upper right-hand corner of the LCD Display.

ERROR CODES

If there is an error with the function of the bike an error message will appear on the LCD Display along with an error code.


Note: The e-bike will not run if there is an error code. Please contact Customer Support if there is an error.



Error Code	Definition
21	Current Abnormality
22	Throttle Abnormality
23	Motor Abnormality
24	Motor Hall Abnormality
25	Brake Abnormality
30	Communication Abnormality

SETTINGS

To access the settings menu, hold the Up and Down Buttons simultaneously for three seconds. Press the Up or Down button to select the content, press the Power Button to confirm your choice.



- Clear Trip - Press the Up or Down button to choose YES or NO to clear the trip distance. The default value is NO. If you choose YES and press the Power Button (M) to confirm the option, the display will show OK and return to the general selection settings interface.

- Set Unit - Choose between the Imperial (mph) and Metric (km/h) system by pressing the Up and Down Buttons. Press the Power Button (M) to confirm your choice.

- Set WD - Set the wheel diameter by pressing the Up and Down Buttons. Setting the correct wheel diameter ensures the speedometer and mileage are accurate. Press the Power Button (M) to confirm your choice. (The bike's wheel diameter is 700C).

EXITING THE SETTINGS MENU

Press and hold the Power Button (M) to save the modified settings. If you do not wish to save the changes, press and hold the Down Button. After one minute of inactivity the LCD Display will leave the settings menu automatically.

CARE AND MAINTENANCE

BATTERY RANGE

The range of the battery is up to 100 miles per charge. However, a lot of factors affect how far you can go per charge:

- Driving surface: A smooth, flat surface will increase driving distance.
- Weight: More weight means less distance.
- Maintenance: regular battery charging and maintenance will prolong the life of your battery.
- Speed and riding style: Maintaining a moderate speed will increase distance. Frequent starting and stopping, acceleration, and deceleration will reduce it.

SPEED LIMIT

The top speed of the bike is set to 25km/h (15.5mph) (obey local laws).

WEIGHT LIMIT

The maximum load is 110kg (17 stone). Going above the maximum weight limit can cause injury or damage the bicycle and will void your warranty.

CLEANING THE BIKE

To clean the bike carefully wipe with a damp cloth, then dry with a dry cloth. Do not use excessive water to clean the bike as this could damage the components, resulting in personal injury or malfunction of the bicycle. Lubricate the chain after every wash if you can to keep it smooth and rust free.

BATTERY

- Keep the bike away from fire and excessive heat.
- To avoid damage to the battery, never subject the bike to intense physical shock, severe vibration or impact.
- Protect the battery from water or moisture.
- You can remove the battery but never disassemble it.
- If there are any issues with the battery, please contact Customer Support on +44 (0)1823 672 970.

STORAGE

- If you plan on storing the bike for a substantial period of time, please make sure you fully charge the battery before storing. The battery should be fully charged once a month after this.
- To protect against dust, cover the bike.
- Store the bike indoors, in a dry place and at a suitable temperature.
- You should bring the bike into a warm environment for charging.
- Do not leave the bike plugged into the charger for long periods of time.

TIRE PRESSURE

The recommended tyre pressure is written on the tyres.

SAFETY WARNINGS

Here are some useful tips to make sure you always have a safe ride:

- Children, the elderly and pregnant women should not use the bike.
- Do not ride after drinking alcohol. Consult your doctor if taking prescription medication.
- Do not carry items when riding.
- Prior to each ride, inspect each part of the bike to ensure it has been maintained correctly and is functioning properly.
- Always give way to pedestrians.
- Be aware of your surroundings.

- Always comply with local traffic laws and regulations. Remember, this bike is a motor vehicle, and is treated as such by local law enforcement. You can and will be arrested for drunk driving. Many cities have restrictions on where you can drive motor vehicles, as well as additional restrictions on driving non-automobiles on streets and highways.
- Make sure your feet are always placed securely on the pedals.
- The bike cannot be ridden by two or more people. Only one person can ride at a time.
- When you ride the bike along with other cyclists, always keep a safe bike distance to avoid a collision.
- When turning, be sure to maintain your balance.
- Do not allow distractions when riding, such as answering the phone or engaging in any other activities.
- Applying brakes too hard or too suddenly can lock up a wheel, which could cause you to lose control and fall. Sudden or excessive application of the front brake may pitch the rider over the handlebars, which may result in injury or death.

MODIFICATIONS

Do not attempt to disassemble, modify, repair or replace any electrical parts without contacting the Customer Service (+44 (0)1823 672 970). This will void any warranty and can lead to malfunctions which may cause injury.

ADDITIONAL OPERATION CAUTIONS

Do not lift the bike off the ground while it is in operation and the wheels are in motion. This can result in freely spinning wheels, which may cause injury to yourself or others nearby. Do not jump on or off the bike.

Westhill Bikes Warranty

Register Now Through Our Website

Simply visit **westhillbikes.com/warranty-registration** and fill in your information.

Register Now Through Facebook



The other way to register your new bike is through Facebook. Simply visit our page **www.fb.com/westhillbikes** or scan the QR code below with your mobile phone and message us with this information:

Your Name:


Your Email Address:

Your Postal Address:

Bike Model & Colour:

Purchase Date:

Where You Purchased From:



Be sure to register right away so your bike is covered!

Don't have Facebook? Email the above details to enquiries@westhillbikes.com to activate your Warranty.

WESTHILL

westhillbikes.com